

EL[®]MARK

The Brand of Electricity

FACADE LIGHTING FIXTURES

GRF324 & GRF325



GENERAL INFORMATION »

- ∴ Input voltage: 220-240VAC
- ∴ Colour: Black; Grey
- ∴ Body material: UV resistant ABS+ PC
- ∴ Lamp: Not included
- ∴ Lampholder: GU10
- ∴ Mounting: Surface
- ∴ Protection against dust and moisture: IP54

FEATURES »

- ∴ Environmentally friendly - no mercury and lead
- ∴ UV-rays stabilized, rust and corrosion-free.

AREAS OF APPLICATION »

- ∴ Suitable for outdoor use
- ∴ Additional, aesthetic, spectacular, architectural lighting for gardens, parks, yard or other outdoor spaces

PRODUCT DETAILS »

Catalogue number	Description	Lampholder	Model	Colour body
96GRF324/BL	Facade lighting	1xGU10	GRF324	Black
96GRF324/GR	Facade lighting	1xGU10	GRF324	Grey
96GRF325/BL	Facade lighting	2xGU10	GRF324	Black
96GRF325/GR	Facade lighting	2xGU10	GRF324	Grey

DIMENSIONS »

Model	Length (mm)	Width (mm)	Height (mm)
96GRF324/BL	90	113	162
96GRF324/GR	90	113	162
96GRF325/BL	90	113	215
96GRF325/GR	90	113	215

ADDITIONAL INFORMATION »

Catalogue number	Barcode	Packing/Box (pcs)
96GRF324/BL	3800131241542	1/16
96GRF324/GR	3800131241559	1/16
96GRF325/BL	3800131241566	1/16
96GRF325/GR	3800131241573	1/16

